







THE DATASHEET OF PL184X-41-4

REVISIONS					
REV	ZONE	ECO	DESCRIPTION	DATE	BY
B	---	---	Change pin for 4mm2 wire	11/03/15	RW
D	---	---	Update Spec.	11/08/16	SW
H	---	---	Add rating current and update part name	03/19/18	YM
I	---	---	Add specification description	08/22/18	ST
					JL



Standard Part List (With HVIL)

P/N	Model NO.	Recommended Wire OD	Dimension "A"	Mating Part Model NO.
AC-HA002978	PL184V-41-2.5	5.0~5.4mm	ø3.70mm	PI084X-41-2.5
AC-HA002979	PL184V-41-2.5			PI084V-41-2.5
AC-HA002980	PL184U-41-2.5			PI084U-41-2.5
AC-HA002981	PL184V-41-2.5			PI084V-41-2.5
AC-HA002982	PL184V-41-4	5.6~6.0mm	ø4.57mm	PI084X-41-4
AC-HA002983	PL184U-41-4			PI084U-41-4
AC-HA002984	PL184V-41-6			PI084X-41-6
AC-HA002985	PL184V-41-6			PI084V-41-6
AC-HA002986	PL184U-41-6	6.4~7.0mm	ø5.80mm	PI084U-41-6
AC-HA002986	PL184V-41-6			PI084V-41-6



Standard Part List (Without HVIL)

P/N	Model NO.	Recommended Wire OD	Dimension "A"	Mating Plug Model NO.
AC-HA002969	PL184X-40-2.5	5.0~5.4mm	ø3.70mm	PL184X-40-2.5
AC-HA002970	PL184V-40-2.5			PL184V-40-2.5
AC-HA002971	PL184U-40-2.5			PL184U-40-2.5
AC-HA002972	PL184V-40-2.5			PL184V-40-2.5
AC-HA002973	PL184X-40-4	5.6~6.0mm	ø4.57mm	PL184X-40-4
AC-HA002974	PL184U-40-4			PL184U-40-4
AC-HA002975	PL184V-40-6			PL184X-40-6
AC-HA002976	PL184X-40-6			PL184V-40-6
AC-HA002977	PL184U-40-6	6.4~7.0mm	ø5.80mm	PL184U-40-6
AC-HA002977	PL184V-40-6			PL184V-40-6

Appropriate strain relief of the cable. No
st be fixed to a point structurally contiguous
face of the plug and receptacle. No relative
missible. Strain relief distance should be

订购信息 Ordering Information

PL18 4 X - 4 1 - 6

键位 Key 高压互锁 HVIL 0, 不带互锁 No HVIL 1, 带互锁 With HVIL

线缆大小 Cable Size 6"=6mm 4"=4mm 2.5"=2.5mm

Amphenol Technical Products International Asia.

签名 SIGNATURE	日期 DATE	第三角投影 THIRD ANGLE PROJECTION	页面 SHEET	幅面 SIZE	版次 REV.	比例 SCALE	零件名称 PART NAME
制图 DRAWN	08/23/18	1 or 2	A3	1			Partok 4.0mm 4POS Plug Conn
审核 CHECKED							
批准 APPROVAL							

UNLESS OTHERWISE SPECIFIED
1) All dimensions are in metric(mm).
2) Tolerances are as follows:
0 Pl DEC ±1.00
1 Pl DEC ±0.50
2 Pl DEC ±0.20
Angles ±1°

DATE REC: PL184-40
CUST PART #: N/A
CUST REV.

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  View [PL184X-41-4](#) on WIN SOURCE
-  [Amphenol](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management