







THE DATASHEET OF

2-2310922-1



CODINGS

REVISONS				
P	LTN	DESCRIPTION	DATE	OWN
B		REVISED ECR-18-012813	12JULY19	JL
B1		REVISED ECR-19-000597	16JAN19	SK
B2		REVISED ECR-19-006021	16APR19	ZZ
B3		REVISED ECR-2021-01-098000-E	12JAN21	FS



NOTES

SHIELDING INFORMATION AND FIRE RETARTANT CLASS FOR PLASTIC PART
SEE TABLE BELOW

P/N	SHIELDING INFORMATION	FIRE RETARTANT CLASS OF PLASTIC MATRIAL	REFERENCE DRAWING(P/N) FOR MISSING DIMENSION
2310922-1	COPPER ALLOY AG PLATING (Tmax 140°C)	VO	214.1154(1-214.1154-1)
2310922-2			214.1154(1-214.1154-2)
2310922-3			214.1154(1-214.1154-3)
2310922-4			214.1154(1-214.1154-4)
1-2310922-1	COPPER ALLOY PRE-TIN PLATING (Tmax 125°C)	HB	214.1154(1-214.1154-1)
1-2310922-2			214.1154(1-214.1154-2)
1-2310922-3			214.1154(1-214.1154-3)
1-2310922-4			214.1154(1-214.1154-4)
2-2310922-1			214.1154(1-214.1154-1)
2-2310922-2			214.1154(1-214.1154-2)
2-2310922-3			214.1154(1-214.1154-3)
2-2310922-4			214.1154(1-214.1154-4)

DELIVERY CONDITION: LEVER IN END-LOCKING POSITION.
CPA CLOSED


PACKAGED IN CORRUGATED SHIPPING BOX



D	2310922-4	A	1	CPA	PA66-GF V0	(141.6)	RED SIM RAL 3000	8
			1	ADAPTER	PA66-GF V0		DUSTY GRAY SIM RAL 7037	7
			1	LEVER, 2POS, 90 DEG	PA66-GF V0		WHITE SIM RAL 9010 (9001)	6
			1	2POS, MCON-1.2, REC HSG, 90 DEG, Assy	-		-	5
			1	RADIAL SEAL	SILICONE RUBBER		WHITE SIM RAL 9010	4
			2	ASSY: ISULATION INSERT - SHIELDING			-	3
			2	ASSY: ISULATION INSERT - SHIELDING			-	2
			1	2POS, 8MM HV, REC HSG, 90 DEG, SEALED	PA66-GF V0		ORANGE SIM RAL 2003	1
C	2310922-3	A	1	CPA	PA66-GF V0	(141.6)	RED SIM RAL 3000	8
			1	ADAPTER	PA66-GF V0		DUSTY GRAY SIM RAL 7037	7
			1	LEVER, 2POS, 90 DEG	PA66-GF V0		BLACK SIM RAL 9005 (9011)	6
			1	2POS, MCON-1.2, REC HSG, 90 DEG, Assy	-		-	5
			1	RADIAL SEAL	SILICONE RUBBER		WHITE SIM RAL 9010	4
			2	ASSY: ISULATION INSERT - SHIELDING			-	3
			2	ASSY: ISULATION INSERT - SHIELDING			-	2
			1	2POS, 8MM HV, REC HSG, 90 DEG, SEALED	PA66-GF V0		ORANGE SIM RAL 2003	1
B	2310922-2	A	1	CPA	PA66-GF V0	(141.6)	RED SIM RAL 3000	8
			1	ADAPTER	PA66-GF V0		DUSTY GRAY SIM RAL 7037	7
			1	LEVER, 2POS, 90 DEG	PA66-GF V0		WHITE SIM RAL 9010 (9001)	6
			1	2POS, MCON-1.2, REC HSG, 90 DEG, Assy	-		-	5
			1	RADIAL SEAL	SILICONE RUBBER		WHITE SIM RAL 9010	4
			2	ASSY: ISULATION INSERT - SHIELDING			-	3
			2	ASSY: ISULATION INSERT - SHIELDING			-	2
			1	2POS, 8MM HV, REC HSG, 90 DEG, SEALED	PA66-GF V0		ORANGE SIM RAL 2003	1
A	2310922-1	A	1	CPA	PA66-GF V0	(141.6)	RED SIM RAL 3000	8
			1	ADAPTER	PA66-GF V0		DUSTY GRAY SIM RAL 7037	7
			1	LEVER, 2POS, 90 DEG	PA66-GF V0		BLACK SIM RAL 9005 (9011)	6
			1	2POS, MCON-1.2, REC HSG, 90 DEG, Assy	-		-	5
			1	RADIAL SEAL	SILICONE RUBBER		WHITE SIM RAL 9010	4
			2	ASSY: ISULATION INSERT - SHIELDING			-	3
			2	ASSY: ISULATION INSERT - SHIELDING			-	2
			1	2POS, 8MM HV, REC HSG, 90 DEG, SEALED	PA66-GF V0		ORANGE SIM RAL 2003	1
COR	TE ASSY-NO.	ASSY-REV	QTY	DESCRIPTION	MATERIAL	WEIGHT (g)	SURFACE COLOUR	ITEM

-1 AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.				DRAWN J.L.L.	12JUL2017	STE		TE Connectivity	
DIMENSIONS: (mm)				CHECKED S.Y.WANG	24JUL2017	NAME		2POS, 8mm HV, REC HSG, 90 DEG, ASSY	
TOLERANCES UNLESS OTHERWISE SPECIFIED: FRACTIONAL DECIMALS 2 DEC ±0.5 3 DEC ±0.1 4 DEC ±0.05 ANGLES ±0.0004° HOLE ±0.0004 HOLE ±0.0004				APPROVED L.YIN	02AUG2017	SIZE		CASE CODE DRAWING NO	
REFER TO 108-32233				PRODUCT SPEC		REFER TO 108-32233		00779	
REFER TO 114-32213				APPLICATION SPEC		REFER TO 114-32213		C=2310922	
FINISH SPEC				CUSTOMER DRAWING		SCALE		1:1	
SHEET 1 OF 3				REV B3		RESTRICTED TO			

A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-2310922-1](#)

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 2-2310922-1](#) on WIN SOURCE

 [TE Connectivity](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management