







THE DATASHEET OF

2-382462-3

LOC		DIST		REVISIONS			
P	T	LTR	DESCRIPTION	DATE	DWN	T	APVD
		K1	REVISED PER ECR-13-013739	28AUG2013	W.W		C.W

1. RECEPTACLE ACCEPTS A .008-.014 THICK I.C. LEAD.
2. TUBE LOADED.
- 3

 TWO .000030 MIN THK. GOLD STRIPES IN CONTACT AREA WITH TIN-LEAD (93/7) ON CONTACT LEGS, BALANCE OF CONTACT NICKEL PLATED.



OBSOLETE	3	PHOS. BRZ	BROWN GLASS-FILLED PCT	2-382462-4	
	TINNED	PHOS. BRZ	BLACK THERMO PLASTIC	2-382462-3	
	TINNED	BE.CU.	BLACK THERMO PLASTIC	2-382462-1	
	CONTACT FINISH	CONTACT MAT'L	HOUSING MATERIAL	PART NO.	
THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R BROWN	04JAN01	AMP Tyco Electronics Corporation Harrisburg, PA 17105	
DIMENSIONS: INCHES		CHK H WYNKOOP	17NOV00		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD H WYNKOOP	17NOV00		
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± .005 4 PLC ± - ± - ANGLES		NAME	SOCKET ASSY, DIP, HT, 8 POS, DIPLOMATE™ DL		
MATERIAL SEE TABLE	FINISH SEE TABLE	PRODUCT SPEC		RESTRICTED TO	
		108-1066			
APPLICATION SPEC		SIZE	CAGE CODE	DRAWING NO	
114-1052		A1 00779C=382462			
WEIGHT		—			
CUSTOMER DRAWING		SCALE 5:1 SHEET 1 OF 1 REV K1			

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 2-382462-3](#) on WIN SOURCE

 [TE Connectivity](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management