




THE DATASHEET OF 1483352-3

LOC	DIST	LTR	REVISION RECORD	DATE	APVD
H	-	A	EH00-1269-01	16/11/01	HS
		-	-	-	-
		-	-	-	-


1 WIRE RED MARKED

2 ASSEMBLIES ARE PACKAGED ACCORDING PACKAGING SPEC 107-19582

SIDE A



SIDE B



2	MALE ON WIRE CONNECTOR	2
1	BULK WIRE FLAT RIBBON CABLE	1
Item no.	Description	Q'TY

DIMENSIONS: mm		DWN H.Spelde	MATERIAL		FINISH	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		CHK H. Spelde	AMP Tyco Electronics Nederland B.V. 's-HERTOGENBOSCH, THE NETHERLANDS			
		APVD E. Leijtens				
		PRODUCT SPEC -				
		APPLICATION SPEC -	NAME Micro-MaTch Lead Ass'y 8 POSITIONS			
		WEIGHT -	SIZE A4	CAGE CODE 00779	DRAWING NO C-1483352-3	
			CUSTOMER DRAWING		SCALE 5:2	SHEET 1 OF 1
					REV A	

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  View [1483352-3](#) on WIN SOURCE
-  [TE Connectivity](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management