



THE DATASHEET OF 10070163-01LF

MATERIAL: Self Extiguishing UL94VO THERMOPLASTICS




COLOUR : BLACK

TEMPERATURE RANGE : -55°C +105°C

LOCKING SCREWS : 4-40UNC THREAD



ROHS COMPLIANT

PART NO : 10070163-01LF





M3-CLAMP SCREW FOR STRAIN RELIEF

MATERIAL : STEEL
FINISH : Zn PASSIVATION





M3-CLAMP SCREW

MATERIAL : STEEL
FINISH : Zn PASSIVATION




STRAIN RELIEF

MATERIAL : DIECAST-ZINC ALLOY



THUMB SCREW

MATERIAL : STEEL
FINISH : NICKEL PLATING



www.fciconnect.com

surface
ISO 1302

tolerance std
ISO 406 ISO 1101

projection
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED

Dr NIRMAL G 2007-02-21
Eng NIRMAL G 2007-12-28
Chr ANISH S 2007-12-28
Appr BIJU K PAUL 2007-12-29

ANGULAR
0° ±1°

size
A3

Scale
2:1

Product family

D-SUB

Spec ref



-ST. HOOD & ACCESSORIES
-MicroTCA_48V CONNECTOR HOOD

catalog no

SEE NOTES

CUSTOMER

sheet 1 of 1

dwg no
10070163

Rev.
A

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 10070163-01LF](#) on WIN SOURCE

 [Amphenol FCI](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management