








THE DATASHEET OF

5788796-3

**COPYRIGHT 2005
TE CONNECTIVITY CORP
ALL RIGHTS RESERVED**



9 OBSOLETE	3.05 [.120]	TRAYS	3	8 -5788796-4-
	3.18±0.08 [.125±.003]	TUBES	2	5788796-3
	3.18±0.08 [.125±.003]	TRAYS	3	5788796-2
	3.18±0.08 [.125±.003]	TRAYS	2	5788796-1
	ØZ	PACKAGING	FINISH	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 04-11-05 J. ALCORTA - DOCKS OR 04-11-05 S. BOLASH APVD 04-11-05 M. WALMSLEY		 TE Connectivity	
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ± - 10 PLC ± 0.13 [0.005] 11 PLC ± - 12 PLC ± - 13 PLC ± - ANGLES ± 2°		NAME RCPT ASSEMBLY, SIZE 1, .318 SERIES, WITH FRONT METAL SHELL, HIGH TEMPERATURE, AMPLIMITE HD-20	
		PRODUCT SPEC 108-40025 APPLICATION SPEC 114-40010		SIZE A1	
MATERIAL 		FINISH SEE TABLE		DRAWING NO 00779	
		WEIGHT -		C-5788796	
		CUSTOMER DRAWING		SCALE 4:1 SHEET 1 of 1 REV P	

RECOMMENDED PC BOARD LAYOUT
1.57 [.062] PC BOARD THICKNESS

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 5788796-3](#) on WIN SOURCE

 [TE Connectivity](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management