




THE DATASHEET OF UCTGS1224-X

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF THE COMPANY.



PANDUIT PART NO.	A	B in. (mm)	C in. (mm)	D in. (mm)	E in. (mm)	APPROX. WEIGHT 10 PCS. lbs. (g)	FOR USE WITH THESE CINC TIES
UCTGS1224	# 12-24	0.625 (15.875)	0.310 (7.87)	0.146 (3.71)	0.063 (1.60)	.046 (21)	UGCTC3S, UGCTC5S, UGCTE3S, UGCTE5S, GCTC3S, GCTC5S, GCTE2S, GCTE4S
UCTGSM5	M5	0.630 (16.00)	0.310 (7.87)	0.165 (4.20)	0.059 (1.50)	.042 (19)	
UCTGSM6	M6	0.630 (16.00)	0.310 (7.87)	0.165 (4.20)	0.059 (1.50)	.055 (25)	

NOTES:
1)SEE CURRENT PRICE SHEET FOR PART NUMBER SUFFIX DESIGNATION FOR FINISH.
2)FINISH: BLACK ZINC.

DIMENSIONS IN PARENTHESES ARE IN MILLIMETERS									
PANDUIT									
UCT MOUNTING									
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: (.XX) ± .040 (.XXX) ± .040 ANGLES* DRAWN BY T.J. DATE 9/20/03 CHK'D									
MATERIAL: STEEL									
REV	DATE	BY	CHK	DESCRIPTION			ECN	R	SUP
R	10/20/03	T.J.		DRAWING RELEASED			27409	R	

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View UCTGS1224-X on WIN SOURCE](#)

 [Panduit Corp](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management