




THE DATASHEET OF 1593ATS50



Key Features

- Electronic instrument enclosures, ideally suited for mounting printed circuit boards.
- Ergonomically designed for a comfortable fit into the user's hand.
- Designed to meet IP54 ratings.
- Recessed top for membrane display or pad.
- Units with battery door use our long life "three snap" door.
- Lap joint construction provides protection against dust accumulation and splashing water.
- Molded in a choice of black or grey general purpose ABS plastic with a satin texture.
- Translucent Blue version also available [link here](#)
- Unit is secured with self tapping screws.
- Black enclosures include black screws, grey includes nickel finish screws.
- Part numbers 1593NBK, 1593NGY, and 1593NTBU are specifically designed for smart card readers

Some models are designed with a battery door.

Critical Data, No Questions

PDF Data Sheets, 2D AutoCAD, and 3D Models are available for download immediately from our web site.



Hand Held / Instrument

Accessories

Belt Clip Kits

1599CLIP (black)
1599CLIPGY (gray)



Infrared Panels

(see table below)



Replacement & Accessory Hardware

(see table below)



PC Board (some sizes)

1593KPCB (for size "K")
1593LPCB (for size "L")
1593PPCB (for size "P")
1593QPCB (for size "Q")



Battery Holders

BH1AAWKIT - (1) AAA Cell
BH2AAWKIT - (2) AAA Cells
BH1AAWKIT - (1) AA Cell
BH2AAWKIT - (2) AAA Cells
BS61KIT - (1) 9V Cell



*Compatibility varies

Black	Gray	Trans Blue	Removable Panels	Battery Door	Units	Length	Width	Depth	IR panels (10-pack)	Replacement Assembly Screws (100-pack)	PC Board Screws (100-pack)*
1593KBK	1593KGY	1593KTBU	2	No	Inches mm	2.6 66	2.6 66	1.1 28	1593PIR10	1593QS100 (silver) 1593QS100BK (black)	1593ATS100
1593JBK	1593JGY	1593JTBU	0	No	Inches mm	2.6 66	2.6 66	1.1 28	1593PIR10	1593QS100 (silver) 1593QS100BK (black)	1593ATS100
1593ARBK	1593ARGY	1593ARTBU	2	No	Inches mm	2.95 75	2.91 74	1.06 27	1593ARIR10	1591TS100 (silver) 1591TS100BK (black)	*SC519-50 (50-pack)
1593SBK	1593SGY	1593STBU	1	Yes	Inches mm	3.6 92	2.6 66	0.83 21	1593SIR10	1593MS100 (silver) 1593MS100BK (black)	1593ATS100
1593PBK	1593PGY	1593PTBU	1	Yes	Inches mm	3.6 92	2.6 66	1.1 28	1593PIR10	1593QS100 (silver) 1593QS100BK (black)	1593ATS100
1593LBK	1593LGY	1593LTBU	2	No	Inches mm	3.6 92	2.6 66	1.1 28	1593PIR10	1593QS100 (silver) 1593QS100BK (black)	1593ATS100
1593BBBK	1593BBGY	1593BBTBU	2	No	Inches mm	3.75 95	3 77	1.18 30	1593BBIR10	1591TS100 (silver) 1591TS100BK (black)	1593ATS100
1593NBK	1593NGY	1593NTBU	2	No	Inches mm	4.3 110	2.9 75	1 25	1593NIR10	1593QS100 (silver) 1593QS100BK (black)	1593ATS100
1593TBK	1593TGY	1593TTBU	1	Yes	Inches mm	4.4 112	2.6 66	0.83 21	1593SIR10	1593MS100 (silver) 1593MS100BK (black)	1593ATS100
1593QBK	1593QGY	1593QTBU	1	Yes	Inches mm	4.4 112	2.6 66	1.1 28	1593PIR10	1593QS100 (silver) 1593QS100BK (black)	1593ATS100
1593DBK	1593DGY	1593DTBU	2	No	Inches mm	4.5 114	1.4 36	1 25	1593DIR10	1593QS100 (silver) 1593QS100BK (black)	1593ATS100
1593YBK	1593YGY	1593YTBU	1	Yes	Inches mm	5.5 140	2.6 66	1.1 28	1593PIR10	1593QS100 (silver) 1593QS100BK (black)	1593ATS100
1593XBK	1593XGY	1593XTBU	2	No	Inches mm	5.5 140	2.6 66	1.1 28	1593PIR10	1593QS100 (silver) 1593QS100BK (black)	1593ATS100

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  View [1593ATS50](#) on WIN SOURCE
-  [Hammond Manufacturing](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management